



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/527,685	03/11/2005	Philippe Mazabraud	266829US6PCT	7312
22850	7590	06/02/2008		
OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, P.C. 1940 DUKE STREET ALEXANDRIA, VA 22314			EXAMINER HARRELL, BRANDON L	
			ART UNIT	PAPER NUMBER
			4111	
			NOTIFICATION DATE	DELIVERY MODE
			06/02/2008	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com
oblonpat@oblon.com
jgardner@oblon.com

Office Action Summary	Application No. 10/527,685	Applicant(s) MAZABRAUD ET AL.	
	Examiner BRANDON HARRELL	Art Unit 4111	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 7-12 is/are pending in the application.
 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 7-12 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. ____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. ____. |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>03/11/2005</u> . | 6) <input type="checkbox"/> Other: ____. |

DETAILED ACTION

Specification

1. The specification is objected to as failing to provide proper antecedent basis for the claimed subject matter. See 37 CFR 1.75(d)(1) and MPEP § 608.01(o). Correction of the following is required: the term “concavity molding contour” recited in this claim does not have a positive antecedent basis in the specification.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 7 – 8, 11 and 12 rejected under 35 U.S.C. 103(a) as being unpatentable over Carrow et al. (3976821) in view of Spencer, Martin (GB 2288359) as evidence from Applicant's own disclosure or Strebel (US 6,083,434).

With respect to claim 7, Carrow et al. discloses a method for rotationally molding a part including at least one first layer, made of a compact polymer and a second layer made of a polymeric, surrounded on at least one face by the first layer. The method comprises of placing a first quantity of material to make up the first layer in mold, rotating the mold to form the first layer and heating the first quantity of material to melt it, and then placing a second quantity of material to make up the second layer in the mold and restarting rotation of the mold. The mold continues to rotate once it is removed from the oven and continues to rotate as it cools (col. 3 lines 31 – 51, col. 6 lines 6 - 58, and

Art Unit: 4111

col. 7 lines 1 - 17). While Carrow et al. does not explicitly teach the second layer to be a foamable polymer, such is taken to be the case as evidence from Applicant's own disclosure (page 2 line 15 to page 3 line 5) or Strebel (col. 1 lines 36-50).

Carrow et al. discloses interrupting the heating of the mold at a temperature above the melting point of the 2nd polymer (col. 7 lines 5 – 8), but fails to specifically disclose an interruption in heating before the second quantity of material reaches its foaming temperature. However, Spencer, drawn to a rotational molding process of a type taught by Carrow et al, discloses that it is preferred to remove the mold from the oven just before point C of the operating temperature to avoid over processing and allowing thermal inertia to then carry the materials in the mold to the final point C, thus forming the second layer (pg 9 lines 7-11; figure 3). Moreover, it is a common practice in the art to heat-activate a foamable polymeric such that it is NOT to over process (i.e. over-heating) to avoid what is known in the art as "pop corn" effect. Therefore it would have been obvious in the art, practicing the rotational molding method of Carrow et al., to interrupt the heating before it reaches a foaming temperature and to allow the thermal inertia to carry out the heat to an activation temperature of a foamable polymer in order to avoid over-processing the foamable polymer thereby ensuring that the so-called "pop corn" effect during a foaming operation would not occur. An additional incentive for one in the art to interrupt the heating operation before it reaches a foaming temperature and use its thermal enertia would have simply been to obtain the self-evident advantage of reducing the energy cost by having a shorter in-oven cycle time which would yield substantial savings in energy costs.

With respect to claim 8 as applied to claim 7 as above, Spencer et al. discloses wherein the heating is interrupted just before the mold reaches its foaming temperature, thus allowing thermal inertia to then carry the materials in the mold to the foaming temperature (pg 9 lines 7 -11). It would be obvious to one skilled in the art at the time of the invention to remove the material at a predetermined temperature as disclosed by Spencer, depending on the chosen material used for the process. Different material will yield a different foaming temperature thus yielding a different pre foaming temperature removing point.

With respect to claim 11 as applied to claim 7 as above, Carrow et al. in view of Spencer, Martin discloses making parts including at least one first layer made of a compact polymer, surrounding a second layer made of foam and possibly other layers, wherein the process is able to control foaming by rotationally molding the foam layer. It would be obvious to one skilled in the art at the time of the invention to use this process to create a part including concavity in which the mold would be provided without a concavity molding contour do to the controllability of the foam.

With respect to claim 12 as applied to claim 7 as above, Carrow et al. discloses that solid particles of a different polymer are used for each layer (abstract).

4. Claims 9-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Carrow et al. (3976821) in view of Spencer, Martin (GB 2288359) as evidence from Applicant's own disclosure or Strebel (US 6,083,434) as applied to claim 7, and in further view of Gilman, Jr. (4836963).

With respect to claim 9 as applied to claim 7 as above, Carrow et al. discloses rotationally molding a multilayered article (col. 1 lines 4-6), but failed to teach providing an additional layer. However, it would have been obvious to one of ordinary skilled in the art at the time of the invention that the method of Carrow et al, because it is common practice in the art of rotational molding to repeat the initial process to create another layer, thus resulting in a 3-layered article as exemplified in the teachings of Gilman, Jr. (abstract; figure 1). All that would have been required would be to create another layer by repeating the disclosed method in order to form a desired number of layers for a resultant end product.

With respect to claim 10 as applied to claim 9 as above, Gilman, Jr. discloses that there are many variations possible in rotational molding, including the use of other heating methods (col. 2 lines 10 -11). Gilman, Jr. also discloses that after the temperature level inside the mold cavity has risen and a portion of the molded laminate has been formed, such portion of the laminate can act as an insulation barrier to maintain the heat. The mold assembly is removed prior to the completion of the coalescing of such subsequent charge such that coalescing of such subsequent charge such that cooling of the mold assembly can begin even while coalescing of such subsequent charge is in progress (col. 3 lines 5 - 39). It would have been obvious to one skilled in the art to incorporate the heating method of Gilman, Jr. into the rotational molding process of Carrow et al. It would have been obvious to one of ordinary skill in the art to remove the mold from the oven before melting and allowing the insulation and

Art Unit: 4111

heat of the already formed layers to maintain until melting occurs. Shortening the in-oven cycle time would yield substantial savings in energy costs (col. 2 lines 54-55).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to BRANDON HARRELL whose telephone number is (571)270-5503. The examiner can normally be reached on Monday - Thursday 7:30AM - 5PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sam Yao can be reached on (571)272-1224. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/B. H./

Application/Control Number: 10/527,685

Page 7

Art Unit: 4111

Examiner, Art Unit 4111

/Sam Chuan C. Yao/

Supervisory Patent Examiner, Art Unit 4111